



POLYMER THERMAL INKJET TECHNOLOGY


# S2i



UNIQUE BARCODE  
SCANNABILITY

## HP thermal ink jet printer

New inbuilt scanner



EAN128



glass - metal - plastics

- Inbuilt barcode scanner
- 2 or 4 wheel options
- Scan - Database - WiFi to printer
- Text, barcodes & logos
- Suited for applications in food processing, cosmetics and pharmaceutical
- POLYtij® V3.0ie inks & NANOtij® inks

Mobile hand printer  
with inbuilt scanner




POLYMER THERMAL INKJET TECHNOLOGY

The POLYtij® S2i HP thermal inkjet printer has an inbuilt barcode scanner & shaft encoder which offers users the ability to scan a barcode & print barcodes, text or even logos.

The user interface is simple enabling operators to quickly enter text, barcodes & logos if required.

Like all POLYtij® printers, the printer comes with a large and unique range of inks that can print onto both most porous & non porous substrates used in the fast moving consumer goods market.



# Mobile hand printer with inbuilt scanner

DISTRIBUTED BY:

## Technical Specification

Speci cation	218*79*152mm (H*W*D) / 8.6*3.1*6 inch
Language	Chinese, English, Japanese, French, German, Spanish, Portuguese and Russian
Multi-line printing	Support multi-line printing
Printable heights(mm)	1~12.7mm
Interface	Newly operation touch interface, 5inch, 1280*720 resolution capacitive screen
Printing data	Variable data like expiry date, production date, lot number and operator information, image/logo, barcode etc
Built-in coder	Built-in coder make printer more handy and light
Reprint	Real-time monitoring content of dynamic data printing, and real-time reprint failed content
Barcode	UPCA , UPCE , EAN13 , EAN8 , INT25 , CODE39 , CODE128 , EAN128 , PDF417 , DATAMATRIX , QR
Database	Flexible data edit, support several data sources, insert di erent data sources in the same object
User management	Set up di erent operation limits as user's request
Throw distance	300DPI standard with four wheels Two wheels is optional
Port	USB2.0 port: Support U-Disk
Ink management	Identify ink type automatically and recommend the best printing parameter Original authentic HP ink cartridge guaranteed Automatic measuring system for ink consumption
Battery	2pcs standard rechargeable batteries with large capaci ty Each battery is comprised of three 2200mAh battery module 11.1V--12.6V >300 cycle number >7H About 4H(Depends on testing)
Certi cate	CE, FCC

DIGITAL INK TECHNOLOGIES PTY LTD  
1&2, 74 Mason Street,  
Campbellfield, Victoria, 3061  
Australia  
Web: www.digitalinktechnologies.com.au  
Email: dit1161@me.com  
Telephone: +613 93575533

